



CHINMORE INDUSTRY CO.,LTD

Specification

1. Product Type: RF Coaxial Cable Assemblies
2. *Chinmore's* No: CX-UFL113SMA-616
3. Frequency: 1~3GHz
4. VSWR: 2.0:1
5. Cable: $\varnothing 1.13$
6. Connector: SMA F P.C.B

✧RoHS Compliant

✧ISO 9001 & ISO 14001

OD	$\varnothing 1.13 \pm 0.05 \text{mm}$
Cover	light grey (淺灰)
SMA F P.C.B	Gold (鍍金)

ROHS
 ISO 9001
 ISO 14001

U.FL

2.0

5.3

85 $\pm$ 4

HEAT SHRINK TUBE

1/4-36UNS-2A

注意:有方向要求
(注意接頭方向)

Material:		Treatment:		竣茂工業有限公司 Chinmore Industry CO .LTD			
Drawer	Design	Aprov	Tolerance	Unit: mm		TITLE	UFL+1.13鍍材+SMA F P.C.B
		X=±0.5		Ver: B	Scale 1:1	Model NO	
		X=±0.2					
		XX=±0.1					
		XXX=±0.05		File NO: QR0402	Drawing NO	100-23005-038	

NO	DESCRIPTION	MATERIAL	FINISH	Q'TY
Part NO	CX-UFL113SMA-616			

Frequency (MHz)	VSWR	Insertion Loss (dB)
1000 MHz	1.10	-0.24
2000 MHz	1.24	-0.45
3000 MHz	1.33	-0.46

TEST Report



