



CHINMORE INDUSTRY CO.,LTD

Specification

1. Mini Coaxial Cable Assembly with RF Connector
2. Chinmore No: CX-MHF113MMCX-745
3. Frequency: 600MHZ~3GHz
4. VSWR: 2.0:1
5. Cable: $\varnothing 1.13$ 100mm (Color: Gray)
6. Connector: RA MMCX M & I.PX


✘RoHS Compliant

✘ISO 9001 & ISO 14001

OD	$\varnothing 1.13 \pm 0.05 \text{mm}$
Cover	Grey (灰)
MMCX 90° M	Gold(鍍金)
MHF(IPX)	Gold(鍍金)

ROHS


ISO 9001
ISO 14001



Material:		Treatment:		竣茂工業有限公司 Chinmore Industry CO .LTD			
Drawer	Design	Aprov	Tolerance	Unit: mm		TITLE	MHF+1.13線材+MMCX 90° M
			X=±0.5	Ver: B	Scale 1:1	Model NO	
			X=±0.2			File NO: QR0402	Drawing NO
			XX=±0.1			100-22077-013	
			.XXX=±0.05				
NO	DESCRIPTION	MATERIAL	FINISH	Q'TY			
Part NO	CX-MHF113MMCX-745						

Frequency (MHz)	VSWR	Insertion Loss (dB)
600	1.04	-0.43
1000	1.13	-0.58
1500	1.17	-0.83
1800	1.26	-1.02
2000	1.18	-1.07
2100	1.19	-1.11
2400	1.29	-1.16
2700	1.35	-1.39
3000	1.25	-1.50

TEST Report



Tr2 S21 Trans LogM RefLvl: 0 dB Res: 10 dB/Div

