




CHINMORE INDUSTRY CO.,LTD

Specification


1. Product Type: Combined Antenna 3-in-1
2. *Chinmore's* No: R40 series
3. Frequency for GNSS : 1575.42/1602 MHZ
Frequency for LTE : 700~2700 MHz
Frequency for 2.4G: 2400~2500MHz
4. VSWR: 2.0:1
5. Cable: RG174U
6. Connector: SMA M
- ※RoHS Compliant ※ISO 9001 & 14001




Frequency (MHz)	Return Loss (dB)	VSWR
1575.42	-12.23	1.65
1602	-13.73	1.52
700	-5.56	3.35
824	-6.96	2.64
960	-2.35	7.45
1710	-6.46	2.77
1880	-8.28	2.24
2170	-10.0	1.90
2700	-8.61	2.17
2.4G	-7.78	2.40
2.5G	-13.56	1.53

1. TEST Report


Tr1 S11 Log Mag 10.00dB/ Ref 0.000dB




Tr1 S11 SWR 1.000/ Ref 1.000




Tr1 S11 Log Mag 10.00dB/ Ref 0.000dB



Tr1 S11 SWR 1.000/ Ref 1.000



Tr1 S11 Log Mag 10.00dB/ Ref 0.000dB



Tr1 S11 SWR 1.000/ Ref 1.000

