



CHINMORE INDUSTRY CO.,LTD

Specification

1. Mini Coaxial Cable Assembly with RF Connector
2. *Chinmore's* No: CX-MHF113SMA-1267
3. Frequency:600MHz~3GHz
4. VSWR:2.0:1
5. Cable:Ø1.13(Gray)
6. Connector: SMA M RP & I.PX

✧RoHS Compliant


✧ISO 9001 & ISO 14001

OD	Ø1.13±0.02mm	<div style="border: 1px solid black; padding: 5px; display: inline-block;"> ROHS ISO 9001 ISO 14001 </div>
Cover	Grey	
SMA M R/P	Gold(鍍金)	
MHF/IPX	Gold(鍍金)	

Material:		Treatment:		竣茂工業有限公司 Chinmore Industry CO .LTD			
Drawer	Design	Aprov	Tolerance	Unit:		TITLE	MHF/IPX+1.13mm+SMA M R/P
NO		DESCRIPTION		MATERIAL	FINISH	Q'TY	
Part NO		CX-MHF113SMA-1267					

Frequency (MHz)	VSWR	Insertion Loss (dB)
600	1.06	-0.13
1000	1.18	-0.21
1500	1.21	-0.31
1800	1.38	-0.48
2000	1.28	-0.41
2100	1.25	-0.45
2400	1.42	-0.47
2700	1.61	-0.51
3000	1.42	-0.56

Test Report



Tr2 S21 Trans LogM RefLvl: 0 dB Res: 10 dB/Div

